



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/743,962	01/18/2001	Isamu Kurisawa	Q62718	1432

7590 11/30/2004

Sughrue Mion Zinn
Macpeak & Seas
2100 Pennsylvania Avenue NW
Washington, DC 20037

EXAMINER

DOVE, TRACY MAE

ART UNIT	PAPER NUMBER
----------	--------------

1745

DATE MAILED: 11/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/743,962

Applicant(s)

KURISAWA, ISAMU

Examiner

Tracy Dove

Art Unit

1745

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10, 14, 15, 20, 24, 25 and 27-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10, 14, 15, 20, 24, 25 and 27-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

This Office Action is in response to the communication filed on 9/16/04. Applicant's arguments have been considered, but are not persuasive. Claims 1-10, 14, 15, 20, 24, 25 and 27-33 are pending. This Action is made FINAL, as necessitated by amendment.

Specification

The amendment filed 9/16/04 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: Applicant has deleted the phrase "which had been prepared" and added the term "pressed" in the first full paragraph on page 22. This is considered new matter. The phrase "which had been prepared" indicates that while the pressure was applied during manufacture of the battery, the pressure is not present in the produced battery. Applicant may not delete "which had been prepared" from the specification.

Applicant is required to cancel the new matter in the reply to this Office Action.

The disclosure is objected to because of the following informalities: on page 22, the paragraph beginning "As can be seen" has been amended to recite "applying an active material thereon needs a high pressure", which is not clear and concise.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Art Unit: 1745

Claims 1-10, 14, 15, 20, 24, 25 and 27-33 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The specification does not support a pressure of 4×10^4 to 20×10^4 Pa is maintained perpendicularly to the plane of the collector in said storage battery. The specification teaches that the pressure is applied to the collector during application of the active material before the collector is assembled in the battery. Thus, the recited pressure is not present in the produced storage battery.

Claims 1-10, 14, 15, 20, 24, 25 and 27-33 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. It is unclear how the pressure is maintained perpendicularly to the plane of the collector in the storage battery. The specification does not enable one of skill to maintain the pressure perpendicular to the plane of the collector after the battery is manufactured.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-10, 14, 15, 20, 24, 25 and 27-33 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the plane" in line 5. There is insufficient antecedent basis for this limitation in the claim.

Claim 2 recites the limitation "the surface" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-4, 6 and 15 are rejected under 35 U.S.C. 102(b)/103(a) as being anticipated by, and alternatively unpatentable over, Dasgupta et al., US 5,547,782.

Dasgupta teaches a lithium ion battery wherein corrosion of the current collector in contact with the electrode face is greatly reduced. An electrically conductive, ceramic layer is inserted between the current collector and the corresponding major face of the lithium ion battery. In an alternative embodiment, the metallic current collector plate is replaced by an electrically conductive laminated organic polymer having electrically conductive particles dispersed therein. The lithium ion battery includes a casing wherein the casing usually serves as

Art Unit: 1745

the positive current collector and the metallic cover plate is usually the negative current collector. See abstract, col. 3, lines 17-23 and Figs 1 & 3-4. The corrosion protection layer (ceramic layer) is placed between the electrode (active material layer 4 in Fig. 1) and the metallic current collector (col. 4, lines 17-19). The ceramic layer may be produced by chemical vapor deposition (CVD), sputtering or flame or plasma spraying (col. 4, lines 55-63). The ceramic substance may be titanium nitride, zirconium nitride or any other ceramic material which is electrically conductive and may be obtained in the form of layers may also be used (col. 4, lines 33-39).

Thus the claims are anticipated.

The claims are alternatively unpatentable because the courts have ruled that product-by-process limitations, in the absence of unexpected results, are obvious. Claim 1 contains the limitation "a pressure of 4×10^4 to 20×10^4 Pa is maintained perpendicularly to the surface of said collector". This is considered a product-by-process limitation, thus, the limitation is obvious. Regardless of the pressure used to prepare the components of the storage battery, the storage battery of the instant invention and the prior art are the same. Note the claimed pressure range includes standard atmospheric pressure of 1 atm (10×10^4 Pa). Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985). See also MPEP §2113.

»

Claims 1-7, 10, 14, 20, 24, 25 and 28-33 are rejected under 35 U.S.C. 102(b)/103(a) as being anticipated by, and alternatively unpatentable over, Kao, Substrate materials for bipolar lead/acid batteries, Journal of Power Sources, 70 (1998).

Kao teaches a battery with a bipolar configuration is known to be advantageous over the conventional monopolar configuration in terms of power output. In a bipolar configuration, active materials of opposite polarities are placed on the two surfaces of a bipolar substrate. In a bipolar lead acid battery, the role of the substrate is paramount. The substrate serves as an intercell connection, as a support to active materials and provides a seal between individual cells (separator inherent between individual cells). The substrate must be electrically conductive and insoluble in sulfuric acid. Lead sheets are known substrate materials (see Introductions section page 8). Kao teaches different ceramic materials may be applied to a current collector (Table 1). Kao specifically discloses a laminated SnO_2 /carbon plastic substrate (page 13, second to last line). Kao teaches ceramic materials such as TiSi_2 , Ti_5Si_3 , NbSi_2 , TaSi_2 and Ta_5Si_3 (Table 1) are known. The SnO_2 is made conductive by dopants such as antimony and fluorine in the lattice structure (page 12).

Thus the claims are anticipated.

The claims are alternatively unpatentable because the courts have ruled that product-by-process limitations, in the absence of unexpected results, are obvious. Claim 1 contains the limitation "a pressure of 4×10^4 to 20×10^4 Pa is maintained perpendicularly to the surface of said collector". This is considered a product-by-process limitation, thus, the limitation is obvious. Regardless of the pressure used to prepare the components of the storage battery, the storage battery of the instant invention and the prior art are the same. Note the claimed pressure range

includes standard atmospheric pressure of 1 atm (10×10^4 Pa). Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.” In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985). See also MPEP §2113.

Furthermore, whether the ceramic is applied by sputtering, CVD, spray coating or any other method of coating the substrate is used, the ceramic/substrate composite, as an end product, is the same.

»

Claims 1-5, 14 and 20 are rejected under 35 U.S.C. 102(b)/103(a) as being anticipated by, and alternatively unpatentable over, Bullock et al., US 5,045,170.

Bullock teaches a bipolar lead acid battery plate including an inorganic metal oxide additive which enhances the formation of the plate. The metal oxide may be a conductive ceramic (abstract). Figure 3 depicts a lead plate 32 (collector substrate) having ceramic layers 31 and active material layers 34. Layers 31 protect the underlying lead layer 32 from corrosion (col. 10, lines 31-32). A bipolar electrode includes a substrate and layers of positive and negative active material disposed on opposite sides of the substrate. The substrate contains the conductive ceramic as a filler (col. 4, lines 30-35).

Thus the claims are anticipated.

The claims are alternatively unpatentable because the courts have ruled that product-by-process limitations, in the absence of unexpected results, are obvious. Claim 1 contains the

limitation "a pressure of 4×10^4 to 20×10^4 Pa is maintained perpendicularly to the surface of said collector". This is considered a product-by-process limitation, thus, the limitation is obvious. Regardless of the pressure used to prepare the components of the storage battery, the storage battery of the instant invention and the prior art are the same. Note the claimed pressure range includes standard atmospheric pressure of 1 atm (10×10^4 Pa). Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985). See also MPEP §2113.

Furthermore, whether the ceramic is applied by sputtering, CVD, spray coating or any other method of coating the substrate is used, the ceramic/substrate composite, as an end product, is the same.

»

Claims 8, 9 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kao, Substrate materials for bipolar lead/acid batteries, Journal of Power Sources, 70 (1998).

See discussion of Kao above.

Kao does not explicitly state the mole percent of the dopant (antimony or fluorine) that is incorporated into the SnO_2 lattice structure.

However, the invention as a whole would have been obvious to one having ordinary skill in the art at the time the invention was made because the courts have ruled where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or

workable ranges by routine experimentation. See MPEP 2144.05. Kao teaches SnO₂ doped with antimony or fluorine is known for use as a ceramic material formed on a current collector substrate. SnO₂ has a high oxygen overpotential but the stoichiometric SnO₂ crystal is not conductive. The conductivity of the SnO₂ comes from structural defects caused by low-valent Sn metal or dopants, such as antimony and fluorine in the lattice (page 12 of Kao). Thus one of skill would have been motivated to vary the dopant amount of the SnO₂ in order to achieve a desired balance between the conductivity of the doped SnO₂ ceramic material and the structural defects of the SnO₂ caused by the dopants..

Response to Arguments

Applicant's arguments filed 9/16/04 have been fully considered but they are not persuasive.

Any arguments referring to the "Japanese language specification" or "Japanese Claim 13" are not convincing because Applicant does not specify which Japanese document is being referenced and a translation of JP 11-137876 (foreign priority document) has not been provided. Furthermore, Applicant admits that "there is no specific wording corresponding to 'in said storage battery'".

Applicant states the pressure element of claim 1 is not a product-by-process limitation. Examiner disagrees with Applicant's analysis of claim 1. Specifically, the "structure" of claim 1 is the collector not the battery. Thus, the claimed pressure limitation is a product-by-process limitation because claim 1 does not recite the pressure is present in the battery (final product). The claim states the "structure" is in "said storage battery".

Regarding the process limitation “a pressure of 4×10^4 to 20×10^4 Pa is maintained”, the claims do not recite that the collector is kept pressed in the storage battery. Furthermore, the claims do not recite how long the collector is maintained at the recited pressure. Therefore, this limitation could be interpreted as the pressure at which the collector is manufactured before assembling the storage battery. The specification recites “applying an active material to the substrate be subject to a high pressure because it has a poor adhesivity between the collector” and the active material (page 23, second paragraph). The specification further recites the lead batteries of the invention “had been prepared at a pressure of from 40 kPa to 200 kPa” (page 22, last paragraph). This indicates a product-by-process limitation. The specification disclosure of “*had been prepared* at a pressure of from 40 kPa to 200 kPa” does not indicate that the pressure is applied to the final product (storage battery).

Applicant states claim 1 has been amended to more clearly recite a gauge pressure. However, Applicant has not provided proper support for the assertion that the recited pressure is a gauge pressure. Furthermore, the limitation regarding a pressure applied to a plane has been rejected as new matter and does not appear to be enabled by the specification. It is unclear how Applicant's distinction between “surface” and “plane” is relevant because only pressures applied to the surface of the collector (not an imaginary plane extending from the surface) are considered part of the claimed invention. Examiner suggests Applicant provide literature supporting the argument regarding a “gauge pressure” versus an “absolute pressure”. Furthermore, the specification does not appear to support the pressure is restricted to only one direction perpendicular to the plane of the collector.

Conclusion


Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tracy Dove whose telephone number is 571-272-1285. The examiner can normally be reached on Monday-Thursday (9:00-7:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Tracy Dove', is positioned above the printed name.

Tracy Dove
Patent Examiner
Technology Center 1700
Art Unit 1745

November 24, 2004